

Enviro-Pak® Stainless Steel Vertical Balers



FEATURES

- 316 stainless steel
- Bales paper, plastic bottles and cardboard
- Component parts are sand blasted and painted
- Door latch engineered for gradual release
- Air or electric operation
- Reduce disposal costs by reducing waste volume
- Two hand operation for operator safety
- Compaction/bale in bag capabilities
- Bale eject system
- ABS approved
- UL listed
- Meets and exceeds International MARPOL 73/78 Annex V
- Patent Pending



TECHNICAL SPECIFICATION

UNIT	Model H2	Model H5	Model H10	Model H15
CAPACITY	6 ft ³ / 0.2 m ³	20 ft ³ / 0.57 m ³	45 ft ³ / 1.2 m ³	58 ft ³ / 1.6 m ³
HEIGHT	76" / 1930 mm	89" / 2261 mm	120" / 3048 mm	125" / 3175 mm
WIDTH	32" / 813 mm	46" / 1168 mm	49" / 1245 mm	52" / 1320 mm
DEPTH	27" / 686 mm	48" / 1219 mm	95" / 2413 mm	58" / 1473 mm
DECK SPACE	6 ft ² / 0.6 m ²	15 ft ² / 1.4 m ²	19 ft ² / 1.8 m ²	21 ft ² / 2.0 m ²
WEIGHT	520 lbs / 236 kg	1,615 lbs / 733 kg	1,930 lbs / 876 kg	2,100 lbs / 952 kg
COMPACTION FORCE	10,000 lbs / 4536 kg	28,000 lbs / 12701 kg	40,000 lbs / 18144 kg	60,000 lbs / 27216 kg
BAG PART NUMBER	HV96033	HV96025	HV96030	HV96027
BAG SWL	650 LBS / 295 KG	1000 LBS / 454 KG	2000 LBS / 907 KG	2200 LBS / 997 KG
ELECTRICAL RATING	2HP 110/230/480V 14/5.8/2.9 AMPS	3HP 230/460V 7.8/2.9 AMPS	3HP 230/460V 7.8/2.9 AMP	3HP 230/460V 7.8/2.9 AMP
AIR REQUIREMENT	100PSI / 75CFM	100PSI / 75CFM	100PSI / 75CFM	100PSI / 75CFM
CYCLE TIME	35 seconds	50 seconds	95 seconds	95 seconds

Note: All measurements are rounded up to the nearest whole unit or decimal.



First Choice in Compactors, Balers, Food Grinders, Crushers
and Associated Services

sales@oegoffshore.com
www.oegoffshore.com

OEG_ENVIRO_BALER_SS-VERTICAL